



South Carolina Department of Health and Human Services

HIPAA Transaction
Standard Companion Guide

Refers to the Implementation Guides Based on X12 version 005010A1

Companion Guide Version Number: 2.1

January 2013

Disclosure Statement

This template is based on ACA Operating Rules Phase I mandate. All rights reserved. It may be freely redistributed in its entirety provided that this copyright notice is not removed. It may not be sold for profit or used in commercial documents without the written permission of the copyright holder. This document is provided “as is” without any express or implied warranty. Note that the copyright on the underlying ASC X12 Standards is held by DISA on behalf of ASC X12.

2013 © Companion Guide copyright by South Carolina Department of Health and Human Services

Preface

This Companion Guide to the ASC X12N Implementation Guides adopted under HIPAA clarifies and specifies the data content when exchanging electronically with South Carolina Department of Health and Human Services. Transmissions based on this companion guide, used in tandem with the X12N Implementation Guides, are compliant with both X12 syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the ASC X12N Implementation Guides adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the Implementation Guides.

2013

© SCDHHS

All rights reserved. This document may be copied.

This page is intentionally left blank.

Table of Contents

Disclosure Statement.....	2
Preface	3
1. Introduction	7
Scope.....	8
Overview	8
HIPAA Legislation	8
Compliance according to HIPAA	8
Compliance according to ASC X12	9
References	9
2. Getting Started.....	9
Working with SCDHHS	9
Trading Partner Registration.....	9
Providers	9
Vendors/Clearinghouses.....	9
Transition from Test to Production Status.....	11
3. Connectivity with the Payer/ Communications.....	12
EDI Customer Service/Technical Assistance	12
Provider Service Number	13
Applicable Websites / Email	13
4. Control Segments / Envelopes.....	13
5. Payer Specific Business Rules and Limitations.....	13
ISA and Case Requirements	13
Delimiter Rules.....	14
6. Acknowledgments/Reports	14
7. Trading Partner Agreements.....	14
Trading Partners.....	14
Providers	15
Vendors/Clearinghouses.....	15
Completion of the S.C. Medicaid Trading Partner Agreement	15
8. Transaction Specific Information	16
Appendix	26

South Carolina Department Health and Human Services 820 Companion Guide

1. Frequently Asked Questions	26
2. Change Summary	26

1. Introduction

This section describes how X12N Implementation Guides (IGs) adopted under HIPAA will be detailed with the use of a table. The table contains a row for each segment that South Carolina Department of Health and Human Services (SCDHHS) has something additional, over and above, the information in the IGs. That information can:

1. Limit the repeat of loops or segments
2. Limit the length of a simple data element
3. Specify a sub-set of the IGs internal code listings
4. Clarify the use of loops. Segments, composite and simple data elements
5. Any other information tied directly to a loop, segment, composite or simple data element pertinent to trading electronically with SCDHHS.

In addition to the row for each segment, one or more additional rows are used to describe SCDHHS usage for composite and simple data elements and for any other information. The following table is an example:

SHADED Rows represent “ segments ” in the X12N Implementation Guide.
NON-SHADED rows represent “ data elements ” in the X12N Implementation Guide.

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
HDR	ISA	Interchange Control Header		1	R	Loop Repeat	Values	Requirement Description
HDR	ISA01	Authorization Information Qualifier	ID	2-2	R		00, 03	
HDR	ISA03	Security Information Qualifier	ID	2-2	R		00, 01	
HDR	ISA05	Interchange ID Qualifier	ID	2-2	R		01, 14, 20, 27, 28, 29, 30, 33, ZZ	Use ‘ZZ’ – Mutually Defined

Scope

This 820 Companion Guide (CG) is to be used in addition to the X12 Implementation Guide, adopted for use under HIPAA.

This Companion Guides contains two types of data; instructions for electronic communications with SCDHHS (Communications/Connectivity Instructions) and supplemental information for creating transactions for SCDHHS while ensuring compliance with the associated ASC X12 IG (Transaction Instructions).

The Transaction Instruction component is included in the CG when SCDHHS wants to clarify the IG instructions for submission of specific electronic transactions. The Transaction Instruction component content is limited by ASCX12's copyrights and Fair Use statement.

Overview

The Transaction Instruction component of this companion guide must be used in conjunction with an associated ASC X12 Implementation Guide. The instructions in this companion guide are not intended to be stand-alone requirements documents. This companion guide conforms to all the requirements of any associated ASC X12 Implementation Guides and is in conformance with ASC X12's Fair Use and Copyright statements.

HIPAA Legislation

The Health Insurance Portability and Accountability Act (HIPAA) of 1996 carry provisions for administrative simplification. This requires the Secretary of the Department of Health and Human Services (HHS) to adopt standards to support the electronic exchange of administrative and financial health care transactions primarily between health care providers and plans. HIPAA directs the Secretary to adopt standards for transactions to enable health information to be exchanged electronically and to adopt specifications for implementing each standard HIPAA serves to:

- Create better access to health insurance
- Limit fraud and abuse
- Reduce administrative costs

Compliance according to HIPAA

The HIPAA regulations at 45 CFR 162.915 require that covered entities not enter into a trading partner agreement that would do any of the following:

- Change the definition, data condition, or use of a data element or segment in a standard.
- Add any data elements or segments to the maximum defined data set.
- Use any code or data elements that are marked "not used" in the standard's implementation specifications or are not in the standard's implementation specification(s).

- Change the meaning or intent of the standard's implementation specification(s).

Compliance according to ASC X12

ASC X12 requirements include specific restrictions that prohibit trading partners from:

- Modifying any defining, explanatory, or clarifying content contained in the implementation guide.
- Modifying any requirement contained in the implementation guide.

References

The CORE v5010 Master Companion Guide Template has been adapted from the CAQH/WEDI Best Practices Companion Guide Template originally published January 1, 2003.

2. Getting Started

Working with SCDHHS

Should you intend to conduct electronic transactions with South Carolina Medicaid, you must first complete and return a Trading Partner Agreement (TPA) to South Carolina Medicaid Provider Outreach. The TPA delineates the responsibilities of both the provider and SCDHHS.

Once South Carolina Medicaid Provider Outreach staff receives your completed TPA, they will contact you to give instructions on how to proceed. Should you intend to create files and send them yourself; the S.C. Medicaid EDI Support Center staff will set up an electronic mailbox for you, assign you a user I.D. and password, and notify you that you may submit a transaction for testing. The testing process evaluates both the format of content of your transaction to ensure it is HIPAA compliant.

If you plan to use a clearinghouse to conduct your transactions, it will not be necessary to set up a mailbox for you, nor for you to test with S.C. Medicaid.

Trading Partner Registration

Providers

Trading Partner Agreement Enrollment Instructions for Providers can be found on the scdhhs.gov website or <http://www.scdhhs.gov/resource/hipaa-5010-project-status>

Vendors/Clearinghouses

Trading Partner Agreement Enrollment Instructions for Vendors and Clearinghouses can be found on the scdhhs.gov website: <http://www.scdhhs.gov/resource/hipaa-5010-project-status>

South Carolina Department Health and Human Services 820 Companion Guide

The Trading Partner Agreement Enrollment (TPA) form may be found online at:

<http://www.scdhhs.gov/resource/hipaa-5010-project-status>

Testing with the Payer

Becoming HIPAA compliant will require that most healthcare payers, clearinghouses and providers make significant changes to their existing Electronic Data Interchange (EDI) processes. Process change inevitably includes testing for results validation. This testing can be one of the most time consuming efforts in the development cycle. SC Medicaid expects the following approach will optimize test time and expedite our Trading Partners' transition from test to production status.

The following must be performed for each different transaction type that a Trading Partner is approved to submit to SC Medicaid.

The Trading Partner must complete testing for each of the transactions it will implement and shall not be allowed to exchange data with SCDHHS in production mode until testing is satisfactorily passed as determined by SCDHHS. Successful testing means the ability to successfully pass HIPAA compliance checking and to process PHI transmitted by Trading Partner to SCDHHS. SCDHHS will accept certification from any third-party testing and certification entity that has been identified by the Workgroup for Electronic Data Interchange, Strategic National Implementation Process (WEDI/SNIP) in lieu of a Trading Partner being tested by SCDHHS. Such certification must be at least level 4 as defined by WEDI.

Test Step	Description
Test Plan	The SC Medicaid EDI Support Center and the Trading Partner will agree to a predefined set of test data with expected results. The matrix will vary by transaction and Trading Partner. Also, we will develop a plan for test-to production transition that considers volume testing and transaction acceptance ratios.
Security	The SC Medicaid EDI Support Center will verify approved Trading Partners have a valid User ID and password.
Connectivity and Transmission Integrity	SC Medicaid Axiom translator-supported connectivity protocols are outlined in the "Understanding Access to SC Medicaid" section of this manual. This first level of testing is complete when the Trading Partner has successfully sent to and received from SC Medicaid Axiom translator a test file via one of the SC Medicaid Axiom translator-supported connectivity options. The SC Medicaid EDI Support Center suggests the Trading Partner limit transactions to small volume (one percent of estimated daily transactions) for this test phase.

South Carolina Department Health and Human Services 820 Companion Guide

Transaction Validation	The SC Medicaid EDI Support Center will verify that approved Trading Partners are submitting transactions allowed per our enrollment applications.
Data Integrity	<p>Data integrity is determined by X12 and HIPAA Implementation Guide (IG) Level 4 compliance edits performed by the SC Medicaid Axiom translator.</p> <p>The SC Medicaid EDI Support Center will ask a Trading Partner to first submit low volume files. When these are successfully processed, the SC Medicaid EDI Support Center will ask for larger volume files (five percent of estimated daily transactions).</p> <p>The SC Medicaid Axiom translator returns transmission acknowledgement and edit result response transactions from this process.</p> <p>The Trading Partner should correct transactions reported as errors and resubmit them.</p> <p>Data integrity testing is successfully completed when the Trading Partner's data has no compliance errors; i.e., achieves 100% acceptance.</p>
Acknowledgement and Response Transactions	<p>Trading Partners must demonstrate the ability to receive acknowledgement and response transactions.</p> <p>The SC Medicaid Axiom translator expects Trading Partners will also implement balancing or reconciliation processes and report transmission discrepancies to us immediately.</p>
Results Analysis	SC Medicaid EDI Support Center and the Trading Partner will review acknowledgement and response transactions for consistency with the predefined expected results.

Transition from Test to Production Status

The Trading Partner must complete testing for each of the transactions it will implement and will not be allowed to exchange data with SC Medicaid in production mode until testing is satisfactorily passed. SC Medicaid will accept certification from any third-party testing and certification entity that has been identified by the Workgroup for Electronic Data Interchange, Strategic National Implementation Process (WEDI/SNIP) in lieu of a Trading Partner being tested by SC Medicaid. Such certification must be at least level 4 as defined by WEDI.

When the test results have been satisfied, the Trading Partner's submission status will be changed from test to production. At this time, the Trading Partner can begin to send production transaction data to SC Medicaid.

3. Connectivity with the Payer/ Communications

EDI Gateway

McaidNET is the EDI gateway to SC Medicaid. Effective 03/01/2009, no new modem accounts will be created. Effective 07/01/2009, the modem server will no longer be available. The following are communication packages that will be supported:

- SecureFTP
- WS_FTP Pro v8.0 or higher

McaidNET is defaulted to send uncompressed files.

Note: McaidNET supports file transfers via secure File Transfer Protocol (FTP). Specifications on these options are included later in this manual.

SC Medicaid accepts the following ASC X12N Version 5010 (Errata) transactions, required with the implementation of the Health Insurance Portability and Accountability Act of 1996 (HIPAA):

- Dental Claim: ASC X12N 837D 005010X224A2 - Health Care Claim: Dental
- Professional Claim: ASC X12N 837P 005010X222A - Health Care Claim: Professional
- Institutional Claim: ASC X12N 837I 005010X223A2 - Health Care Claim: Institutional
- Health Claim Status: ASC X12N 276/277 005010X212 - Health Care Claim Status Request
- Eligibility for a Health Plan: ASC X12N 270/271 005010X279A1 - Health Care Eligibility Benefit Inquiry
- Premium Payment: ASC X12N 820 005010X218A1
- Enrollment: ASC X12N 834 005010X220A1
- Claim Payment: ASC X12N 835 005010X221A1

The McaidNET platform is available 24 hours a day, seven days a week, with the exception of infrequent maintenance performed on Sundays.

If you have any questions regarding the McaidNET platform, please call the SC Medicaid EDI Support Center toll-free at 1-888-289-0709, Option 1 then Option 1.

Access the Communications Manual online: <http://www.scdhhs.gov/resource/hipaa-5010-project-status>

Contact Information

EDI Customer Service/Technical Assistance

The South Carolina Medicaid EDI Support Center can assist you with your questions about HIPAA-related transactions, code sets and related provider training opportunities.

Call 1-888-289-0709 or Email EDIG.OPS-MCAID@palmettogba.com

Provider Service Number

The South Carolina Provider Service department can assist you with your questions at 1-888-289-0709 or by submitting an inquiry at [Provider Inquiry](#).

Applicable Websites / Email

Provider Services: <http://www.scdhhs.gov/organizations>

Contact a Provider Service Representative: <http://www.scdhhs.gov/contact-us>

To ensure receipt and processing of claims for services, providers are reminded that all hardcopy Medicaid claims and corrected Edit Correction Forms (ECF) must be mailed to:

Medicaid Claims Receipt
Post Office Box 1412
Columbia, South Carolina 29202-1412

Updates to provider information should be mailed to:

Medicaid Provider Enrollment
Post Office Box 8809
Columbia, South Carolina 29202-8809

Updates and changes will continue to be posted to our website at www.scdhhs.gov as we continue to improve the services that we provide to both Medicaid providers and beneficiaries. Please continue to review your Medicaid Policy manual for additional policy changes and updates.

4. Control Segments / Envelopes

ASC X12 transaction envelopes (i.e., ISA, IEA, GS and GE segments) should be populated per instructions found in the South Carolina Communications Manual. Transactions returned by SC Medicaid to the Trading Partner will be enveloped consistent with the specifications described in Example 1B. ASC X12 transaction record formats are available as downloads from the Washington Publishing Company (WPC) Web site (<http://wpc-edi.com/>).

5. Payer Specific Business Rules and Limitations

ISA and Case Requirements

1. Trading Partners must envelope (ISA-IEA) different transactions separately.

2. SC Medicaid’s compliance edits reject the ISA-IEA content when any transaction within that ISAIEA is not 100% compliant.
3. SC Medicaid’s processes will perform a case conversion (to UPPERCASE) on all EDI data.

Delimiter Rules

1. The delimiters for the inbound X12 transaction sets will be:
CR/LF Carriage return and line feed for segment terminator (upon request the ~ Tilde can be used for those partners unable to process the CR/LF)
2. The delimiters set by SC Medicaid for the outbound X12 transaction sets will be:
CR/LF Carriage return and line feed for segment terminator (upon request the ~ Tilde can be used for those partners unable to process the CR/LF)

6. Acknowledgments/Reports

SCDHHS will send an Acknowledgment Medic Report- an HTML summary of the transaction via 999 and 997.

Sample of Medic Report

This report contains health care information and should be handled in accordance with appropriate security and privacy procedures. The report relies on potentially non-compliant structures and may contain errors or other erroneous output.

File Summary	
Sender ID:	Applicable information populates here.
Receiver ID:	
File Name:	
File Path:	
Report Date / Time:	

Claim #	Provider ID	Sub Last	Amount	Status
Claims Total:	Applicable information populates here.			
Claims Excluded:				
Claims Included:				
Value of Claims:				
Value of Claims Excluded:				
Value of Claims Included:				

InStream Detail Report (with EDI) for file (Options: Severity >= 3)	Claim File Number populates here.
---	-----------------------------------

Errors will be listed here.

7. Trading Partner Agreements

Trading Partners

An EDI Trading Partner is defined as any SCDHHS customer (provider, billing service, software, software vendor, employer group, financial institution, etc.) that transmits to, or receives electronic data from SCDHHS.

Payers have EDI Trading Partner Agreements that accompany the standard implementation guide to ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

Providers

Trading Partner Agreement Enrollment Instructions for Providers can be found on the scdhhs.gov website or <http://www.scdhhs.gov/resource/hipaa-5010-project-status>

Vendors/Clearinghouses

Trading Partner Agreement Enrollment Instructions for Vendors and Clearinghouses can be found on the scdhhs.gov website: <http://www.scdhhs.gov/resource/hipaa-5010-project-status>

The Trading Partner Agreement Enrollment (TPA) form may be found online at: <http://www.scdhhs.gov/resource/hipaa-5010-project-status>

Completion of the S.C. Medicaid Trading Partner Agreement

Page 1

I.A.1., Name: Provider or organization name. The name must match the S.C. Medicaid Provider Number in I.A.2. For instance, if you have an organization name, you must provide a group ID; if you have an individual name, you must provide an individual ID. If you have both an individual and a group ID, you must complete two separate TPAs, one for each ID.

I.A.2., S.C. Medicaid Provider Number: The 6-digit provider ID. If you do not yet have a provider ID, you must contact South Carolina Medicaid Enrollment and apply for one before submitting a TPA to the EDI division. You may contact Enrollment at 803-788-7622, ext: 41650 to request an enrollment packet and to sign up for Electronic Funds Transfer.

I.A.4., Address: The provider's billing or street address.

I.A.5., Contact Name: The provider's enrollment officer, or anyone who can answer questions about the completed TPA.

I.A.6, 7, & 8, Contact Phone, E-mail and Fax: Please complete all information. If we cannot reach you by phone, we will try to contact you via e-mail and fax.

Page 5

Signing for EDI Partner: An original signature is required; stamps, copies, or faxes are not accepted. The signature must be either that of the provider or the

provider's authorized representative.

Page 6

Provider Name, Medicaid ID#, address, and phone: Must all be the same as the information provided on page 1.

NPI #: The National Provider ID for the provider ID listed. Do not leave this blank -we will not process the TPA without the NPI.

Name and Title: Must be the name and title of the person who signs pages 5 and 8.

The Provider will submit claim: If you would like a Web Tool ID, indicate the number of user IDs needed. Each person must have their own user ID.

Other company or software: If you are using a third party to submit your claims, list the name of your clearinghouse or software vendor. If you have your own S.C. Medicaid Submitter ID, you can list it here.

Page 8

Signature: Must be the same individual who signed page 5 and who was reflected under "Name and Title" section on page 6.

Appendix B

Sharing Your NPI: If the TPA is for an individual provider, please complete the Individual Provider section only. If the TPA is for a group ID, complete the Group section only. It is very important that the NPI that you provide is for the provider ID listed.

Note: the TPA will not be processed without the NPI information. Information for obtaining and NPI number is located on page 1 of the TPA.

Additional Information:

- [Trading Partner Agreement Enrollment Instructions for Providers](#)
- [Trading Partner Agreement Enrollment Instructions for Vendors and Clearinghouses](#)
- [Trading Partner Agreement 10/30/12](#)

8. Transaction Specific Information

This section describes how X12N Implementation Guides (IGs) adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that SCDHHS has something additional, over and above, the information in the IGs. That information can:

1. Limit the repeat of loops, or segments
2. Limit the length of a simple data element

South Carolina Department Health and Human Services 820 Companion Guide

3. Specify a sub-set of the IGs internal code listings
4. Clarify the use of loops, segments, composite and simple data elements
5. Any other information tied directly to a loop, segment, composite or simple data element pertinent to trading electronically with SCDHHS

005010X218A1 Payroll Deducted and Other Premium Payment for Insurance Products

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
HDR	ISA	INTERCHANGE CONTROL HEADER		1	R	1		
HDR	ISA01	Authorization Information Qualifier	ID	2-2	R		00, 03	Default "00"
HDR	ISA03	Security Information Qualifier	ID	2-2	R		00, 01	Default "00"
HDR	ISA05	Interchange ID Qualifier	ID	2-2	R		01, 14, 20, 27, 28, 29, 30, 33, ZZ	Default to 'ZZ' Mutually Defined
HDR	ISA06	Interchange Sender ID	AN	15-15	R			Default to " Medicaid Assigned Submitter Number"
HDR	ISA07	Interchange ID Qualifier	ID	2-2	R		01, 14, 20, 27, 28, 29, 30, 33, ZZ	Default to 'ZZ'-Mutually Defined
HDR	ISA08	Interchange Receiver ID	AN	15-15	R			Default to 'SCMEDICAID'
HDR	ISA11	Repetition Separator	AN	1-1	R			use ^
HDR	ISA14	Acknowledgement Requested	ID	1-1	R		0, 1	If your Trading Partner Agreement indicates that you will receive an Interchange Acknowledgement (TA1). Use '1' for Interchange Acknowledgement Requested If your Trading Partner Agreement does not

South Carolina Department Health and Human Services 820 Companion Guide

								<p>indicate that you will receive an Interchange Acknowledgement (TA1).</p> <p>Use '0' for No Interchange Acknowledgement Requested</p>
HDR	ISA15	Usage Indicator	ID	1-1	R		P,T	'Provider should use 'T' until testing of the Trading Partner is approved
HDR	ISA16	Component Element Separator	AN	1-1	R			Default :

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
HDR	GS	FUNCTIONAL GROUP HEADER		1	R	>1		
HDR	GS02	Application Sender Code	AN	2-15	R			Default to "SC Medicaid Assigned Submitter ID"
HDR	GS03	Application Receiver Code	AN	2-15	R			Default to 'SCMEDICAID'

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
HDR	BPR	Financial Information		1	R		Financial Information	
HDR	BPR01	Transaction Handling Code	ID	1-2	R		C - Payment Accompanies Remittance Advice D - Make Payment Only I - Remittance Information Only P - Pre-notification of Future Transfers U - Split Payment and Remittance X - Handling Party's Option to Split Payment and Remittance	Default to 'I'- Remittance Information Only

South Carolina Department Health and Human Services 820 Companion Guide

HDR	BPR04	Payment Method Code	ID	3/3	R		ACH - Automated Clearing House (ACH) BOP - Financial Institution Option CHK - Check - A check has been issued for payment. FWT - Federal Reserve Funds/Wire Transfer NON - Non-Payment Data SWT - Society for Worldwide Interbank Financial Telecommunications (S.W.I.F.T.)	Only use: 'ACH' - Automated Clearing House - for payment made by Electronic Funds Transfer (EFT) 'CHK' - Check- for payment made by check
HDR	BPR05	Payment Format Code	ID	1/10	S		CCP - Cash Concentration/Disbursement plus Addenda (CCD+) (ACH) CTX - Corporate Trade Exchange (CTX) (ACH)	Default to "CCP" - Cash Concentration/Disbursement, (CCD+)(ACH)
HDR	BPR06	(DFI) ID Number Qualifier	ID	2/2	S		01 - ABA Transit Routing Number Including Check Digits (9 digits) 02 - Swift Identification (8 or 11 characters) 04 - Canadian Bank Branch and Institution Number	Default to '01'
HDR	BPR07	(DFI) Identification Number	AN	3/12	S		Depository Financial Institution (DFI) identification number	Default to '053900225'
HDR	BPR08	Account Number Qualifier	ID	1/3	S		ALC - Agency Location Code (ALC) DA - Demand Deposit	Default to 'DA' - Demand Deposit -
HDR	BPR09	Account Number	AN	1/35	S		Account Number Assigned	Default to '2079900430615'
HDR	BPR10	Originating Company Identifier	AN	10/10	R		A unique identifier designating the company initiating the funds transfer instructions, business transaction or assigning tracking reference identification.	Set to '1570859576'
HDR	BPR11	Originating Company Supplemental Code	AN	9-9	S		A code defined between the originating company and the originating depository financial institution (ODFI) that uniquely identifies the company initiating the transfer instructions	Default to 'SCMEDICAID'
HDR	BPR12	(DFI) ID Number Qualifier	ID	2/2	S		01 - ABA Transit Routing Number Including Check Digits (9 digits) 02 - Swift Identification (8 or 11 characters) 04 - Canadian Bank Branch and	Default to '01' (Transit Routing Number Including Check Digits)

South Carolina Department Health and Human Services 820 Companion Guide

							Institution Number	
HDR	BPR14	Account Number Qualifier	ID	1/3	S		Code indicating the type of account DA - Demand Deposit SG - Savings	Default to 'DA' = Demand Deposit
HDR	BPR14	Account Number Qualifier	ID	1/3	S		Code indicating the type of account DA - Demand Deposit SG - Savings	Default to 'SG' = Savings

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
HDR	TRN	Re-association Trace Number		1	R		The purpose of this segment is to uniquely identify this transaction set and aid in the re-associating payment and remittance	
HDR	TRN01	Trace Type code	ID	1/2	R		Trace Type Code 1 - Current Transaction Trace Numbers 3 -Financial Re-association Trace Number	Default to '3' – Financial Re-association Trace Number.
HDR	TRN02	Reference ID	AN	1/50	R		Reference information	CHECK-NUMBER
HDR	TRN03	Originating Company ID	AN	10/10	S		A unique identifier designating the company initiating the funds transfer instructions, business transaction or assigning tracking reference identification.	Set to '1570859576' for EFT payments.
HDR	TRN04	Reference ID	AN	1/50	S		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Set to 'SCMEDICAID'

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
HDR	REF	Premium Receivers Identification Key		>1	S		Reference Information	
HDR	REF01	Reference ID Qualifier	ID	2/3	R		Code qualifying the Reference Identification 14 - Master Account	Default to 14 = Master

South Carolina Department Health and Human Services 820 Companion Guide

							Number 17 - Client Reporting Category 18 - Plan Number 2F - Consolidated Invoice Number 38 - Master Policy Number 72 - Schedule Reference Number LB - Lockbox	Account Number
HDR	REF02	Reference ID	AN	1-50	R		Reference ID	Provider ID

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
1000A	N1	Premium Receiver's Name		1	R	1	Code identifying an organizational entity, a physical location, property or an individual	
1000A	N102	Name	AN	1-60	S		Name	Provider Name
1000A	N103	Identification Code Qualifier	ID	1-2	S		Code designating the system/method of code structure used for Identification Code (67) 1 - D-U-N-S Number, Dun & Bradstreet 9 - D-U-N-S+4, D-U-N-S Number with Four Character Suffix EQ - Insurance Company Assigned Identification Number FI - Federal Taxpayer's Identification Number XV- Centers for Medicare and Medicaid Services Plan ID	Default to 'FI' - Federal Taxpayer's Identification Number.

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
1000B	N1	Premium Payer's Name		1	R	1	Code identifying an organizational entity, a physical location, property or an individual	Required Segment

South Carolina Department Health and Human Services 820 Companion Guide

1000B	N102	Name	AN	1-60	S		Name	Set to 'South Carolina Medicaid'
1000B	N103	Identification Code Qualifier	ID	1-2	S		Identification Code Qualifier 1 - D-U-N-S Number, Dun & Bradstreet 9 - D-U-N-S+4, D-U-N-S Number with Four Character Suffix 24 - Employer's Identification Number 75 - State or Province Assigned Number EQ - Insurance Company Assigned Identification Number FI - Federal Taxpayer's Identification Number PI - Payor Identification	Default to 'FI' = Federal Taxpayer's Identification Number
1000B	N104	ID Code	AN	2-80	S		Code identifying a party or other code	Set to '570859576'

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
1000B	N4	Premium Receiver's City, State, and Zip Code		1	S	1	Geographic Location	
1000B	N401	City Name	AN	2/30	R		Free-form text for city name	Set to 'COLUMBIA'
1000B	N402	State or Prove Code	ID	2/2	S		State or Province Cod	Set to 'SC'
1000B	N403	Postal Code	ID	3/15	S		Postal Code	Set to '29201'

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2000A	ENT	Organization Summary Remittance		1	S	1	Entity	

South Carolina Department Health and Human Services 820 Companion Guide

2000A	ENT01	Assigned Number	NO	1/6	R		Assigned Number	
2000A	ENT02	Entity ID Code	ID	2/3	R		Entity Identification Code 2L - Corporation AG - Agent/Agency NH - Association RGA - Responsible Government Agency UN - Union	Default to '2L' = Corporation
2000A	ENT03	ID Code Qualifier	ID	1/2	R		Identification Code Qualifier 1 - D-U-N-S Number, Dun & Bradstreet 9 - D-U-N-S+4, D-U-N-S Number with Four Character Suffix 24 - Employer's Identification Number FI - Federal Taxpayer's Identification Number	Default to "24" = Employer's Identification Number
2000A	ENT04	ID Code	AN	2/80	R		Identification Code	Set to '570859576'

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2300A	RMR	Organization Summary Remittance Detail		1	R	>1	Remittance Advice Accounts Receivable Open Item Reference	
2300A	RMR01	Reference ID Qualifier	ID	2/3	R		Reference Identification Qualifier 11 - Account Number 1L - Group or Policy Number CT - Contract Number IK - Invoice Number	Default to '1L' = Group or Policy Number

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2300A	DTM	Organizational Coverage Period		1	S	>1		Required Segment MGC5020 must be updated to include Organizational Coverage Period.
2300A	DTM01	Date / Time Qualifier	ID	3/3	S		Date/Time Qualifier 582 - Report Period AAG - Due Date	Default to '582' = Report Period

South Carolina Department Health and Human Services 820 Companion Guide

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2315A	SLN	Member Count		1	S	3 -> 4	Sub-line Item Count	
2315A	SLN0501	Unit or Basis for Measurement Code	ID	2/2	R		Unit or Basis for Measurement Code 10- Group IE -Person PR -Pair	Default – 'IE'

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2000B	ENT	Individual Remittance		1	S	>1	Entity	
2000B	ENT02	Entity ID Code	ID	2/3	R		Entity Identification Code 2J - Individual	Set to '2J' = Individual
2000B	ENT03	ID Code Qualifier	ID	1/2	R		Identification Code Qualifier 34- Social Security Number EI- Employee Identification Number II-Standard Unique Health Identifier for each Individual in the United States	Default to '34' = Social Security Number

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2100B	NM1	Individual Name		1	S	>1		No changes.
2100B	NM101	Entity Identifier Code	ID	2-3	R		Entity Identifier Code DO - Dependent Name EY - Employee Name IL - Insured or Subscriber QE - Policyholder	Default 'QE'
2100B	NM108	Identification Code Qualifier	ID	1-2	S		Identification Code Qualifier 34 - Social Security Number EI - Employee Identification Number N - Insured's Unique	Default to 'N' = Insured's Unique Identification Number

South Carolina Department Health and Human Services 820 Companion Guide

							Identification Number
--	--	--	--	--	--	--	-----------------------

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2300B	RMR	Individual Premium Remittance Detail		1	R	>1		Required.
2300B	RMR01	Reference ID Qualifier	ID	2/3	R		Reference Identification Qualifier 11 - Account Number 9J - Pension Contract AZ - Health Insurance Policy Number B7 - Life Insurance Policy Number CT - Contract Number ID - Insurance Certificate Number IG - Insurance Policy Number IK - Invoice Number KW - Certification	Default to 'AZ' = Health Insurance Policy Number We will default this to 'AZ', however we will be sending the Claim Control Number
2300B	RMR04	Monetary Amount	R	1/18	R		Monetary Amount	PAID-AMT

Loop	Element Identifier	Description	ID	Min/Max	Usage	Loop Repeat	Values	Requirement Description
2300B	DTM	Individual Coverage Period		1	S	>1		
2300B	DTM01	Date / Time Qualifier	ID	3/3	R		Date/Time Qualifier 582 - Report Period AAG - Due Date	Default to '582'

Appendix

1. Frequently Asked Questions

To be updated as questions come in.

2. Change Summary

Version	Issue Date	Modified By	Comments / Reason
1.0	05/02/2011	William Douglas	Original document 05/03 /2011
1.1	05/27/2011	William Douglas	Update with Comments from Tamara to take out the CG: Translator not and comments that are repetitive of the TR3 or Errata.
1.2	06/15/2011	William Douglas	Updates for ISA14
2.0	06/30/2011	William Douglas	Comments from Review and updates to ISA 16 should be a : and ISA11 should be ^
2.1	01/01/2013	Tracie O'Donnell	Updated with Operating Rules template.