



# ADHD- 2019 QIDA DATA

---

RAMKUMAR JAYAGOPALAN, M.D.

# HIGHLIGHTS




- 17 Practices entered QIDA data ( majority entered at least 5 cycles)
- Some practices entered data for multiple locations
- Practices implemented various methods
  - ADHD patient packets
  - Appointment reminders, tweaking prescription habits, using ADHD related handouts on sleep, non medication strategies discussed, using Understood.org ( the one Kristine did demo during site visits), ensuring standardized scales for diagnosis, screening for social determinants for health.

# QIDA DATA

## ADHD INITIATION FOLLOW UP RATE( 30 DAYS)




### ALL PRACTICES



# USE OF STANDARDIZED INSTRUMENT




## ALL PRACTICES



# CO-MORBIDITIES IDENTIFIED



## ALL PRACTICES




	CYCLE 1	CYCLE 2	CYCLE 3	CYCLE 4	CYCLE 5
ALL PRACTICES	74.7	90.4	81.5	94.7	96.9

— ALL PRACTICES    ..... Linear (ALL PRACTICES)


# CO-MORBIDITIES DISCUSSED

## ALL PRACTICES




# SOCIAL DETERMINANTS OF HEALTH SCREENING

### ALL PRACTICES



# HPV SERIES COMPLETE( 13 Y/O & UP)

ALL PRACTICES





## Improvement in

- Initiation follow up rates
- Maintenance follow up
- Using standardized scale
- Co-morbidities identified and discussed
- Social determinants of health screening

## Decline in

- HPV completion rate